



---

PRODUCT CATALOG

## BACLOFEN TABLETS, USP (RX)

Baclofen Tablets, USP are useful for the alleviation of signs and symptoms of spasticity resulting from multiple sclerosis, particularly for the relief of flexor spasms and concomitant pain, clonus, and muscular rigidity.



STRENGTH	FORM	CONTAINER	FILL VOLUME	UNITS PER PACK	NDC	UPC
10 mg	Tablet	Bottle	100 ct	1	70512-782-10	3 70512 78210 8

## CABERGOLINE TABLETS, USP (RX)

Cabergoline Tablets, USP are indicated for the treatment of hyperprolactinemia disorders, either idiopathic or due to pituitary adenomas.



STRENGTH	FORM	CONTAINER	FILL VOLUME	UNITS PER PACK	NDC	UPC
0.5 mg	Tablet	Bottle	8 ct	1	70512-860-08	3 70512 86008 0

## CARBOPROST TROMETHAMINE INJECTION, USP (RX)

Carboprost Tromethamine Injection, USP is indicated for the treatment of postpartum hemorrhage due to uterine atony which has not responded to conventional methods of management.



STRENGTH	FORM	CONTAINER	FILL VOLUME	UNITS PER PACK	NDC	UPC
250 mcg/mL	Injection	Vial	1 mL	5	70512-859-05	3 70512 85905 3

## COXANTO (OXAPROZIN) CAPSULES 300MG (RX)

COXANTO is used for relief of the signs and symptoms of osteoarthritis, rheumatoid arthritis, and juvenile rheumatoid arthritis



STRENGTH	FORM	CONTAINER	FILL VOLUME	UNITS PER PACK	NDC	UPC
300 mg	Capsule	Bottle	60 ct	1	70512-814-60	3 70512 81460 1

## CYANOCOBALAMIN INJECTION, USP (RX)

Cyanocobalamin Injection, USP is indicated for Vitamin B12 deficiencies due to malabsorption which may be associated with the following conditions: Addisonian (pernicious) anemia, gastrointestinal pathology, dysfunction, or surgery, (including gluten enteropathy or sprue, small bowel bacterial overgrowth, total or partial gastrectomy), fish tapeworm infestation, malignancy of pancreas or bowel, and folic acid deficiency.



STRENGTH	FORM	CONTAINER	FILL VOLUME	UNITS PER PACK	NDC	UPC
1000 mcg/mL	Injection	Vial	1 mL	5	70512-840-25	0 70512 84025 8

## CYCLOBENZAPRINE HYDROCHLORIDE TABLETS, USP (RX)

Cyclobenzaprine hydrochloride tablets, USP is used for relief of muscle spasm associated with acute, painful musculoskeletal conditions.



STRENGTH	FORM	CONTAINER	FILL VOLUME	UNITS PER PACK	NDC	UPC
10 mg	Tablet	Bottle	100 ct	1	70512-872-10	3 70512 87210 6

## DICLOFENAC POTASSIUM TABLETS, USP (RX)

Diclofenac Potassium Tablets, USP is used for treatment of primary dysmenorrhea, for relief of mild to moderate pain, for relief of the signs and symptoms of osteoarthritis, and for relief of the signs and symptoms of rheumatoid arthritis.



STRENGTH	FORM	CONTAINER	FILL VOLUME	UNITS PER PACK	NDC	UPC
50 mg	Tablet	Bottle	30 ct	1	70512-900-30	3 70512 90030 4
50 mg	Tablet	Bottle	100 ct	1	70512-782-10	3 70512 75010 7

## DICLOFENAC SODIUM TOPICAL SOLUTION, USP 1.5% (RX)

Diclofenac Sodium Topical Solution, USP 1.5% is a nonsteroidal anti-inflammatory drug (NSAID) indicated for the treatment of signs and symptoms of osteoarthritis of the knee(s).



STRENGTH	FORM	CONTAINER	FILL VOLUME	UNITS PER PACK	NDC	UPC
1.5 %	Topical Solution	Bottle	150 mL	1	70512-038-05	3 70512 03805 2

## DICLOFENAC SODIUM TOPICAL GEL 1% (OTC)

Diclofenac 1% Topical Gel is used for the temporary relief of arthritis pain in the following areas: hand, wrist, elbow, foot, ankle, and knee.



STRENGTH	FORM	CONTAINER	FILL VOLUME	UNITS PER PACK	NDC	UPC
1 %	Gel	Tube	100 g	1	70512-106-10	7 05120 10610 5

## DICLOFENAC SODIUM DELAYED - RELEASE TABLETS, USP (RX)

Diclofenac Sodium Delayed-Release Tablets are used for relief of signs and symptoms of osteoarthritis, rheumatoid arthritis, and ankylosing spondylitis



STRENGTH	FORM	CONTAINER	FILL VOLUME	UNITS PER PACK	NDC	UPC
75 mg	Tablet	Bottle	60 ct	1	70512-784-60	3 70512 78460 7



## DIMETHYL FUMARATE DELAYED-RELEASE CAPSULES (RX)

Dimethyl Fumarate Delayed-Release Capsules are indicated for the treatment of relapsing forms of multiple sclerosis (MS), to include clinically isolated syndrome, relapsing-remitting disease, and active secondary progressive disease, in adults.



STRENGTH	FORM	CONTAINER	FILL VOLUME	UNITS PER PACK	NDC	UPC
120 mg	Capsule	Bottle	14 ct	1	70512-852-14	7 05120 85214 9
240 mg	Capsule	Bottle	60 ct	1	70512-853-30	7 05120 85360 3

## IBUPROFEN TABLETS, USP (RX)

Ibuprofen Tablets, USP are indicated for relief of the signs and symptoms of rheumatoid arthritis and osteoarthritis, for relief of mild to moderate pain, and for the treatment of primary dysmenorrhea.



STRENGTH	FORM	CONTAINER	FILL VOLUME	UNITS PER PACK	NDC	UPC
300 mg	Tablet	Bottle	90 ct	1	70512-794-90	3 70512 79490 3
800 mg	Tablet	Bottle	100 ct	1	70512-780-10	3 70512 78010 4

## KETOROLAC TROMETHAMINE INJECTION, USP (RX)

Ketorolac Tromethamine Injection, USP, a nonsteroidal anti-inflammatory drug (NSAID), is indicated for the short-term (up to 5 days in adults) management of moderately severe acute pain that requires analgesia at the opioid level.



STRENGTH	FORM	CONTAINER	FILL VOLUME	UNITS PER PACK	NDC	UPC
15 mg/mL	Injection	Vial	1 mL	25	70512-842-25	3 70512 84225 3
30 mg/mL	Injection	Vial	1 mL	25	70512-843-25	3 70512 84325 0
60 mg/mL	Injection	Vial	2 mL	25	70512-844-25	3 70512 84425 7

## KETOROLAC TROMETHAMINE OPHTHALMIC SOLUTION, 0.5% (RX)

Ketorolac Tromethamine Ophthalmic Solution 0.5% is indicated for the treatment of inflammation following cataract surgery. The temporary relief of ocular itching due to seasonal allergic conjunctivitis.



STRENGTH	FORM	CONTAINER	FILL VOLUME	UNITS PER PACK	NDC	UPC
0.5%	Ophthalmic Solution	Bottle	5 mL	1	70512-790-05	3 70512 79005 9
0.5%	Ophthalmic Solution	Bottle	10 mL	1	70512-790-10	3 70512 79010 3

## LIDOCAINE PATCH, 4% (OTC)

Lidocaine 4% Patch is a topical anesthetic used for the temporary relief of pain.



STRENGTH	FORM	CONTAINER	FILL VOLUME	UNITS PER PACK	NDC	UPC
4% Lidocaine	Topical Patch	Patches	30 Patches	1	70512-014-30	3 70512 01430 8

## NEURACIN GEL (OTC)

Neuracin Gel is a topical gel used for the temporary relief of minor pain associated with arthritis, simple backache, muscle strains, bruises, and muscle sprains.



STRENGTH	FORM	CONTAINER	FILL VOLUME	UNITS PER PACK	NDC	UPC
4% Camphor, 10% Menthol, 30% Methyl Salicylate	Gel	Tube	57.6 g	1	70512-104-60	7 05120 10406 4

## OFLOXACIN OPHTHALMIC SOLUTION, USP 0.3% (RX)

Ofloxacin Ophthalmic Solution, USP 0.3% is an antibiotic used to treat bacterial infections of the eye, such as conjunctivitis and corneal ulcers.



STRENGTH	FORM	CONTAINER	FILL VOLUME	UNITS PER PACK	NDC	UPC
0.3%	Ophthalmic Solution	Bottle	5 mL	1	70512-793-05	3 70512 79305 0
0.3%	Ophthalmic Solution	Bottle	10 mL	1	70512-793-10	3 70512 79310 4

## OLOPATADINE HCl OPHTHALMIC SOLUTION, USP 0.1% (OTC)

Olopatadine HCl Ophthalmic Solution, USP 0.1% is indicated for the treatment of the signs and symptoms of allergic conjunctivitis.



STRENGTH	FORM	CONTAINER	FILL VOLUME	UNITS PER PACK	NDC	UPC
0.1%	Ophthalmic Solution	Bottle	5 mL	1	70512-520-05	7 05120 52005 5

## PHENYLEPHRINE HYDROCHLORIDE OPHTHALMIC SOLUTION, USP (RX)

Phenylephrine Hydrochloride Ophthalmic, USP, in strengths 2.5% and 10%, is used to dilate (enlarge) the pupil. It is used before eye examinations, before and after surgery, and to treat certain eye conditions.



STRENGTH	FORM	CONTAINER	FILL VOLUME	UNITS PER PACK	NDC	UPC
2.5%	Ophthalmic Solution	Bottle	2 mL	1	70512-865-02	3 70512 86502 3
2.5%	Ophthalmic Solution	Bottle	15 mL	1	70512-865-15	3 70512 86515 3
10%	Ophthalmic Solution	Bottle	5 mL	1	70512-866-05	3 70512 86605 1

## ROPIVACAINE HYDROCHLORIDE INJECTION, USP (RX)

Ropivacaine Hydrochloride Injection, USP is indicated for the production of local or regional anesthesia for surgery and for acute pain management.



STRENGTH	FORM	CONTAINER	FILL VOLUME	UNITS PER PACK	NDC	UPC
0.2%	IV Solution	Bag	100 mL	1	70512-797-01	3 70512 79701 0
0.2%	IV Solution	Bag	200 mL	1	70512-798-01	3 70512 79801 7

## 0.9% SODIUM CHLORIDE INJECTION, USP (RX)

0.9% Sodium Chloride Injection, USP is indicated as a source of water and electrolytes. 0.9% Sodium Chloride Injection, USP is also indicated for use as a priming solution in hemodialysis procedures.



STRENGTH	FORM	CONTAINER	FILL VOLUME	UNITS PER PACK	NDC	UPC
0.9% NAACL	IV Solution	Bag	50 mL	1	70512-841-05	3 70512 84105 8
0.9% NAACL	IV Solution	Bag	100 mL	1	70512-841-10	3 70512 84110 2
0.9% NAACL	IV Solution	Bag	250 mL	1	70512-841-25	3 70512 84125 6
0.9% NAACL	IV Solution	Bag	500 mL	1	70512-841-50	3 70512 84150 8
0.9% NAACL	IV Solution	Bag	1 L	1	70512-841-60	3 70512 84160 7

## SYNOFLEX PATCHES (OTC)

Synoflex Patches are a topical anesthetic used for the temporary relief of pain.



STRENGTH	FORM	CONTAINER	FILL VOLUME	UNITS PER PACK	NDC	UPC
4% Lidocaine, 5% Menthol	Topical Patch	Patches	15 Patches	1	70512-015-15	0 70512 01515 1

## TERIFLUNOMIDE TABLETS (RX) - BLISTER PACK

Teriflunomide Tablets are indicated for the treatment of relapsing forms of multiple sclerosis (MS), to include clinically isolated syndrome, relapsing-remitting disease and active secondary progressive diseases in adults.



STRENGTH	FORM	CONTAINER	FILL VOLUME	UNITS PER PACK	NDC	UPC
7 mg	Tablet	Blister Pack	28 ct	1	70512-850-28	0 70512 85028 8
14 mg	Tablet	Blister Pack	28 ct	1	70512-851-28	0 70512 85128 5



655 Highlandia Dr, Baton Rouge, LA 70810

(866) 747-7365

[info@solameds.us](mailto:info@solameds.us)

[www.solameds.us](http://www.solameds.us)